ELSEVIER

Lipids and Lipid Metabolism

Vol. 1390, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Aoyama, C., Nakashima, K., Matsui, M. and Ishidate, K.
Complementary DNA sequence for a 42 kDa rat kidney choline/ethanolamine kinase (1390) 1
Aponte, G.W., see Holehouse, E.L. (1390) 52
Arita, H., see Ramanadham, S. (1390) 301
Arthur, G. and Bittman, R.
The inhibition of cell signaling pathways by antitumor ether lipids (1390) 85
Avella, M., see Bravo, E. (1390) 134

Badiani, K., see Ridgway, N.D. (1390) 37
Baker, R.R. and Chang, H.-y.
Substrate specificities of neuronal nuclear acetyltransferases involved in the synthesis of platelet-activating factor: Differences in the use of 1-alkyl and 1-acyl lysophospholipid acceptors (1390) 215
Barreto Bergter, E., see Duarte, R.S. (1390) 186
Barron, L.G., see Zelphati, O. (1390) 119
Battaile, K.P., McBurney, M., Van Veldhoven, P.P. and Vockley, J.
Human long chain, very long chain and medium chain acyl-CoA dehydrogenases are specific for the S-enantiomer of 2- methylpentadecanoyl-CoA (1390) 333
Berger, A., Cultaro, C.M., Segal, S. and Spiegel, S.
The potent lipid mitogen sphingosylphosphocholine activates the DNA binding activity of upstream stimulating factor (USF), a basic helix-loop-helix-zipper protein (1390) 225
Bittman, R., see Arthur, G. (1390) 85
Botham, K.M., see Bravo, E. (1390) 134
Bravo, E., Flora, L., Cantafora, A., De Luca, V., Tripodi, M., Avella, M. and Botham, K.M.
The influence of dietary saturated and unsaturated fat on hepatic cholesterol metabolism and the biliary excretion of chylomicron cholesterol in the rat (1390) 134
Bretillon, L., Chardigny, J.-M., Sébédio, J.-L., Poullain, D., Noël, J.-P. and Vatèle, J.-M.
Oxidative metabolism of [1-^{14}C] mono-*trans* isomers of linoleic and α-linolenic acids in the rat (1390) 207
Buckland, A.G., Kinkaid, A.R. and Wilton, D.C.
Cardiolipin hydrolysis by human phospholipases A_2. The multiple enzymatic activities of human cytosolic phospholipase A_2 (1390) 65
Byers, D.M., see Cook, H.W. (1390) 103
Byers, D.M., see Ridgway, N.D. (1390) 37

Cantafora, A., see Bravo, E. (1390) 134
Chang, H.-y., see Baker, R.R. (1390) 215
Chapman, K.D., see McAndrew, R.S. (1390) 21
Chardigny, J.-M., see Bretillon, L. (1390) 207
Chuang, M. and Severson, D.L.
Metabolic fate of exogenous diacylglycerols in A10 smooth muscle cells (1390) 149
Cook, H.W., Ridgway, N.D. and Byers, D.M.
Involvement of phospholipase D and protein kinase C in phorbol ester and fatty acid stimulated turnover of phosphatidylcholine and phosphatidylethanolamine in neural cells (1390) 103
Cook, H.W., see Ridgway, N.D. (1390) 37
Cultaro, C.M., see Berger, A. (1390) 225

De Luca, V., see Bravo, E. (1390) 134
Drevon, C.A., see Rustan, A.C. (1390) 245
Duarte, R.S., Polycarpo, C.R., Wait, R., Hartmann, R. and Barreto Bergter, E.
Structural characterization of neutral glycosphingolipids from *Fusarium* species (1390) 186

Eguchi, T., see Morii, H. (1390) 339

Flora, L., see Bravo, E. (1390) 134
Frank, P.G., see Sparks, D.L. (1390) 160

Gilat, T., see Ringel, Y. (1390) 293

Hartmann, R., see Duarte, R.S. (1390) 186
Holehouse, E.L., Liu, M.-L. and Aponte, G.W.
Oleic acid distribution in small intestinal epithelial cells expressing intestinal-fatty acid binding protein (1390) 52
Hori, H., see Tsubaki, M. (1390) 197
Hornstra, G., see Nieuwenhuys, C.M.A. (1390) 313
Hustvedt, B.-E., see Rustan, A.C. (1390) 245

Ichikawa, Y., see Tsubaki, M. (1390) 197
Ikeyoshi, M., see Matsui, K. (1390) 8
Ishidate, K., see Aoyama, C. (1390) 1

Jolly, C.A., Murphy, E.J. and Schroeder, F.
Differential influence of rat liver fatty acid binding protein isoforms on phospholipid fatty acid composition: phosphatidic acid biosynthesis and phospholipid fatty acid remodeling (1390) 258
Jones, P.J.H., see Ntanios, F.Y. (1390) 237

Kajiwara, T., see Matsui, K. (1390) 8
Kakinuma, K., see Morii, H. (1390) 339
Kaler, E.W., see Luk, A.S. (1390) 282
Kinkaid, A.R., Othman, R., Voysey, J. and Wilton, D.C.
Phospholipase D and phosphatidic acid enhance the hydrolysis of phospholipids in vesicles and in cell membranes by human secreted phospholipase A_2 (1390) 173
Kinkaid, A.R., see Buckland, A.G. (1390) 65
Kitazawa, S., see Tsutsumi, T. (1390) 73
Koga, Y., see Morii, H. (1390) 339
König, H., see Morii, H. (1390) 339
Konikoff, F.M., see Ringel, Y. (1390) 293

Lee, S.P., see Luk, A.S. (1390) 282
Liu, M.-L., see Holehouse, E.L. (1390) 52

Los, D.A., see Panpoom, S. (1390) 323
Luk, A.S., Kaler, E.W. and Lee, S.P.
Protein lipid interaction in bile: effects of biliary proteins on the stability of cholesterol–lecithin vesicles (1390) 282

Ma, Z., see Ramanadham, S. (1390) 301
Matsui, K., Nishioka, M., Ikeyoshi, M., Matsumura, Y., Mori, T. and Kajiwara, T.
Cucumber root lipoxygenase can act on acyl groups in phosphatidylcholine (1390) 8
Matsui, M., see Aoyama, C. (1390) 1
Matsumoto, N., see Tsubaki, M. (1390) 197
Matsumura, Y., see Matsui, K. (1390) 8
McAndrew, R.S. and Chapman, K.D.
Enzymology of cottonseed microsomal *N*-acylphosphatidylethanolamine synthase: Kinetic properties and mechanism-based inactivation (1390) 21
McBurney, M., see Battaile, K.P. (1390) 333
Mori, T., see Matsui, K. (1390) 8
Morii, H., Eguchi, T., Nishihara, M., Kakinuma, K., König, H. and Koga, Y.
A novel ether core lipid with H-shaped C_{80}-isoprenoid hydrocarbon chain from the hyperthermophilic methanogen *Methanothermus fervidus* (1390) 339
Murata, N., see Panpoom, S. (1390) 323
Murphy, E.J., see Jolly, C.A. (1390) 258

Nakashima, K., see Aoyama, C. (1390) 1
Neville, T.A.-M., see Sparks, D.L. (1390) 160
Nieuwenhuys, C.M.A. and Hornstra, G.
The effects of purified eicosapentaenoic and docosahexaenoic acids on arterial thrombosis tendency and platelet function in rats (1390) 313
Nishihara, M., see Morii, H. (1390) 339
Nishioka, M., see Matsui, K. (1390) 8
Noël, J.-P., see Bretillon, L. (1390) 207
Norlin, M. and Wikvall, K.
Biochemical characterization of the 7α-hydroxylase activities towards 27-hydroxycholesterol and dehydroepiandrosterone in pig liver microsomes (1390) 269
Ntanios, F.Y. and Jones, P.J.H.
Effects of variable dietary sitostanol concentrations on plasma lipid profile and phytosterol metabolism in hamsters (1390) 237

Othman, R., see Kinkaid, A.R. (1390) 173

Panpoom, S., Los, D.A. and Murata, N.
Biochemical characterization of a Δ12 acyl-lipid desaturase after overexpression of the enzyme in *Escherichia coli* (1390) 323
Polycarpo, C.R., see Duarte, R.S. (1390) 186
Poullain, D., see Bretillon, L. (1390) 207

Ramanadham, S., Ma, Z., Arita, H., Zhang, S. and Turk, J.
Type IB secretory phospholipase A_2 is contained in insulin secretory granules of pancreatic islet β-cells and is co-secreted with insulin from glucose-stimulated islets (1390) 301
Ridgway, N.D., Badiani, K., Byers, D.M. and Cook, H.W.
Inhibition of phosphorylation of the oxysterol binding protein by brefeldin A (1390) 37
Ridgway, N.D., see Cook, H.W. (1390) 103
Ringel, Y., Sömjen, G.J., Konikoff, F.M., Rosenberg, R. and Gilat, T.
Increased saturation of the fatty acids in the *sn*-2 position of phospholipids reduces cholesterol crystallization in model biles (1390) 293
Rosenberg, R., see Ringel, Y. (1390) 293
Rustan, A.C., Hustvedt, B.-E. and Drevon, C.A.
Postprandial decrease in plasma unesterified fatty acids during $n-3$ fatty acid feeding is not caused by accumulation of fatty acids in adipose tissue (1390) 245

Schroeder, F., see Jolly, C.A. (1390) 258
Sébédio, J.-L., see Bretillon, L. (1390) 207
Segal, S., see Berger, A. (1390) 225
Severson, D.L., see Chuang, M. (1390) 149
Sömjen, G.J., see Ringel, Y. (1390) 293
Sparks, D.L., Frank, P.G. and Neville, T.A.-M.
Effect of the surface lipid composition of reconstituted LPA-I on apolipoprotein A-I structure and lecithin:cholesterol acyltransferase activity (1390) 160
Spiegel, S., see Berger, A. (1390) 225
Szoka Jr., F.C., see Zelphati, O. (1390) 119

Tokumura, A., see Tsutsumi, T. (1390) 73
Tomita, S., see Tsubaki, M. (1390) 197
Tripodi, M., see Bravo, E. (1390) 134
Tsubaki, M., Matsumoto, N., Tomita, S., Ichikawa, Y. and Hori, H.
20β-hydroxy-C21-steroid 20β-oxidase activity of cytochrome $P450_{c21}$ purified from bovine adrenocortical microsomes (1390) 197
Tsutsumi, T., Tokumura, A. and Kitazawa, S.
Undifferentiated HL-60 cells internalize an antitumor alkyl ether phospholipid more rapidly than resistant K562 cells (1390) 73
Turk, J., see Ramanadham, S. (1390) 301

Uyechi, L.S., see Zelphati, O. (1390) 119

Van Veldhoven, P.P., see Battaile, K.P. (1390) 333
Vatèle, J.-M., see Bretillon, L. (1390) 207
Vockley, J., see Battaile, K.P. (1390) 333
Voysey, J., see Kinkaid, A.R. (1390) 173

Wait, R., see Duarte, R.S. (1390) 186
Wikvall, K., see Norlin, M. (1390) 269
Wilton, D.C., see Buckland, A.G. (1390) 65
Wilton, D.C., see Kinkaid, A.R. (1390) 173

Zelphati, O., Uyechi, L.S., Barron, L.G. and Szoka Jr., F.C.
Effect of serum components on the physico-chemical properties of cationic lipid/oligonucleotide complexes and on their interactions with cells (1390) 119
Zhang, S., see Ramanadham, S. (1390) 301